



The Refrigeration Experts

## Product specification



### CT75KG: 75kg Cabinet Control Thaw

17-178

Single door controlled thaw cabinet

## Features and benefits

- Thaws food safely from frozen to 1/4°C in typically 7-10 hours
- Thaws food safely from -18/-21°C to +1/+4°C
- Alternates between circulating gentle heat and cool air via special ducting, ensuring an even, speedy and safe thaw
- Easy programme selection - menu driven touch panel lets you simply select the programme to start

## Technical

<b>Refrigerant</b>	R134a
<b>Electrical supply</b>	230/50/1
<b>Fuse rating (A)</b>	10
<b>Current (A)</b>	4.4
<b>Power (W)</b>	1000
<b>Refrigerant mass (g)</b>	245

## Build

<b>Finish ext/int</b>	304 S/S & 304 S/S
<b>Number of sections</b>	1
<b>Section configuration</b>	Right hinge
<b>System</b>	Integral

## Dimensions

<b>Height (mm)</b>	2080
<b>Width (mm)</b>	700
<b>Depth (mm)</b>	820
<b>Gross volume (ltr)</b>	75
<b>Chilling capacity (kg)</b>	75
<b>Leg type</b>	Braked castors
<b>GN size</b>	2/1
<b>Gross weight (kg)</b>	160
<b>Net weight (kg)</b>	143

## Energy

<b>Climate Class</b>	5
<b>GWP</b>	1430

## Footnotes

- Thawing time is dependent upon food type, thickness etc.

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.